

L Number	Hits	Search Text	DB	Time stamp
-	95	(((((((((((("707" and radar) and (radar interface) and ((radar interface) and (receive\$3 informa\$3 from database)) and (((radar interface) and (receive\$3 informa\$3 from database)) and (gather\$ categor\$5 or informat\$5 or update\$3))) and (automatical\$6 generat\$5)) and (line sweep\$5 in a radial direct\$5)) and (horizontal\$3 and vertical\$3 directio\$5)) and (color\$3 transit\$5)) and (real time from host locat\$6)) and (initial service)) and (frequenc\$5 asynchronou\$3)) and (data refresh\$3 preselect\$5 data)) and (send map displa\$5 to remote\$3 locat\$5)) and (calibrat\$5 geographic\$5 scope of map)) and (generat\$5 pixel assign)) and (phone number or text\$8 or pictoria\$3 or informat\$3 on blip)) and (mov\$5 amp on panning or zooming)) and (displa\$5 activat\$4 audio\$3 signal\$5)) and (blip overlaid on a map indicat\$3 locat\$5)) and (map dispaly\$3 zoom out for one blip in respons\$5 to user request)) and (remore user) and (user simulat\$3 sweep movement of radar)) and (data transla\$4 into a map)) and (service quer\$3 is generat\$5 by remot\$3 user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:40
-	8	(((((landsat thematic mapp\$5)and (remote) and database) and (line sweep in radial direction)) and (horizontal and vertical direction)) and (gather\$5 dat to initial service locat\$6)) and landsat) and thematic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/16 08:20
-	1	((((((landsat thematic mapp\$5)and (remote) and database) and (line sweep in radial direction)) and (horizontal and vertical direction)) and (gather\$5 dat to initial service locat\$6)) and landsat) and thematic) and mapp\$5) and remote) and database and navigat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/16 12:03
-	6	((("707" and sound card) and (audio signal)) and navaig\$5) and landsat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 08:34
-	8582	"707" and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:07
-	8582	("707" and database) and (host and cetrail database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:09
-	7504	((("707" and database) and (host and cetrail database)) and (construc\$5 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:10
-	6578	((("707" and database) and (host and cetrail database)) and (construc\$5 software)) and (accounting software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:10
-	1991	(((("707" and database) and (host and cetrail database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:11

	1889	(((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:13
	1888	(((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:14
	1888	((((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:15
	471	((((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:18
	318	((((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:18
	318	((((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3 manag\$3 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:22
	318	((((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3 manag\$3 software)) and (data trans between systems)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:26
	317	((((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3 manag\$3 software)) and (data trans between systems)) and (aided design\$3 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:43
	317	((((((("707" and database) and (host and cetal database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3 manag\$3 software)) and (data trans between systems)) and (aided design\$3 software)) and (first database and second database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:48

-	32353	709/\$ or 705/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:48
-	2839	709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:49
-	37	((((((((("707" and database) and (host and cetral database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3 manag\$3 software)) and (data trans between systems)) and (aided design\$3 software)) and (first database and second database)) and (709/\$ or 705/\$)) and 709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 10:00
-	207	((((((((("707" and database) and (host and cetral database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3 manag\$3 software)) and (data trans between systems)) and (aided design\$3 software)) and (first database and second database)) and (709/\$ or 705/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 12:59
-	129	((((((((("707" and database) and (host and cetral database)) and (construc\$5 software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3 manag\$3 software)) and (data trans between systems)) and (aided design\$3 software)) and (first database and second database)) and (709/\$ or 705/\$)) and construc\$5 5931917.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 13:00
-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 13:33
-	3	5893911.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/17 13:33
-	1629	707/104.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:43
-	1115	707/104.1 and (search tabel or rows or tuples)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:44
-	1366	707/104.1 and (search table or rows or tuples)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:44

-	368	(707/104.1 and (search table or rows or tuples)) and 707/3	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:44
-	364	((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:45
-	341	((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:46
-	341	(((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:48
-	341	(((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:52
-	690209	"18" and (computer mapp\$5 user interface)	USPAT; US_PGPUB	2002/04/19 08:52
-	337	(((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:54
-	337	(((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 08:57
-	337	((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:00
-	334	((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:02
-	332	((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:03

	308	((((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:04
	308	((((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:05
	256	((((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000") and (value origin prefix or destinat\$5 prefix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:06
	148	((((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000") and (value origin prefix or destinat\$5 prefix)) and (node with numeric\$5 digit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:08
	145	((((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000") and (value origin prefix or destinat\$5 prefix)) and (node with numeric\$5 digit\$3)) and (phone number\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:09

-		144	(((((((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000") and (value origin prefix or destinat\$5 prefix)) and (node with numeric\$5 digit\$3)) and (phone number\$3)) AND (data save\$3 on tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:10
-		26	(((((((((((707/104.1 and (search table or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmputer code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000") and (value origin prefix or destinat\$5 prefix)) and (node with numeric\$5 digit\$3)) and (phone number\$3)) AND (data save\$3 on tree)) and (identf\$5 prefix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:10
-		12668	"707" and (accountn\$5 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 10:43
-		12668	("707" and (accountn\$5 software)) and (construc\$5 manag\$5 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 11:22
-		0	08674828.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 11:13
-		0	"08674828"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 11:13
-		919	("707" and (accountn\$5 software)) and (construc\$5 manag\$5 software)and 707/104.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 11:35
-		919	((("707" and (accountn\$5 software)) and (construc\$5 manag\$5 software)and 707/104.1) and (account\$ program or software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 11:41
-		775	((("707" and (accountn\$5 software)) and (construc\$5 manag\$5 software)and 707/104.1) and (account\$ program or software)) and (executa\$3 account\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 13:57
-		11	((("707" and (accountn\$5 software)) and (construc\$5 manag\$5 software)and 707/104.1) and (account\$ program or software)) and (executa\$3 account\$3)) and residential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 13:59

-	1665	(cad and database) and software	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/23 13:32
-	279	((cad and database) and software) and 707/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/23 13:32
-	9	((((cad and database) and software) and 707/\$) and "construction project"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/23 13:33